



home msds search browse manufacturers browse products shopping contact us

Browse Data Sheets » Manufacturers » WHITMIRE RESEARCH LABORATORIES INC » (BGXBV) MSA WASP STOPPER II PLUS

Flea & Tick Prevention Buy Advantage II, Advantix II, Bio Spot & Fiproguard At PetSmart®! PetSmart.com/Flea&TickPreventio

Bifen I/T - Free Shipping Bifenthrin Termiticide/Insecticide Indoor and Outdoor Use www.pickapest.com

Data Sheet Integration Mobile Firestop Management Software Rated Barrier Digital Documentation www.efi-AdChoices ▶

MSA WASP STOPPER II PLUS



MSDS Number

BGXBV

National Stock Number

6840-00-459-2443

Product Name

MSA WASP STOPPER II PLUS

Manufacturer

WHITMIRE RESEARCH LABORATORIES INC

Product Identification

Product ID:MSA WASP STOPPER II PLUS

MSDS Date:01/10/1990

FSC:6840

NIIN:00-459-2443

MSDS Number: BGXBV

Responsible Party

WHITMIRE RESEARCH LABORATORIES INC.

3568 TREE COURT INDUSTRIAL BLVD.

ST. LOUIS , MO 63122

US

Emergency Phone: 314-225-5371

Info Phone: 314-225-5371

Preparer: MICHAEL G. SARLI

Cage: 67184

Contractor

WHITMIRE MICRO GEN RESEARCH LABORATORIES, INC.

ST LOUIS, MO 63122-6620

US

636-225-5371

Cage: 67184

Ingredients

HYDROTREATED HEAVY NAPHTHA

CAS: 64742-48-9

Fraction By Weight: 95.74%

OSHA PEL400 PPM

ACGIH TLV: 400 PPM

CARBON DIOXIDE

CAS: 124-38-9

RTECS: FF6400000

Fraction By Weight: 4%

OSHA PEL5000 PPM

AdChoices ▶

OSHA Safety Trainings

Train Your Employees On OSHA Safety. View Our Catalog Online!

www.safety-services.com

Safety Data Sheet Service

MSDS and Label creation Call now. 1-888-GHS (447)-7769

www.kmkregservices.com

MSDS to SDS Conversion

We will convert your MSDSs to SDSs compliant with GHS V4

www.wchservices.com

Arc Flash Hazard Analysis

Keep your workers safe. Visit our website for a free quote.

www.lewellyn.com

Chemical Label Printing

GHS Compliant, Database Driven Full featured - Ask for Demo

www.tptex.com

ACGIH TLV: 5000PPM/30000STEL;93

SUMITHRIN (3-PHENOXYBENZYL D-CIS

CAS: 26002-80-2

RTECS: GZ1975000

Fraction By Weight: 0.125%

PIPERONYL BUTOXIDE (D-TRANS ALLETHRIN)

CAS: 51-03-6

RTECS: XS8050000

Fraction By Weight: 0.135%

ACGIH TLV: 50 PPM



Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:HEALTH HAZARDS: ACUTE: EYE IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: SKIN IRRITATION, DERMATITIS.

Effects of Overexposure:EYES/SKIN: IRRITATION. INHALATION: HEADACHE, DIZZINESS.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF RESPIRATORY OR SKIN ALLERGIC CONDITIONS MAY BE AT INCREASED RISK.

First Aid

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.IF IRRITATION PERSISTS SEE DOCTOR. SKIN:WASH WITH SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.IF IRRITATION PERSISTS.SEE DOCTOR. INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPRIF NEEDED,SEE DOCTOR. INGESTION:DO NOT INDUCE VOMITING.SEE DOCTOR IMMEDIATELY.

Fire Fighting

Flash Point Method:TCC

Flash Point:155F,68C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 130F MAY CAUSE BURSTING.

Accidental Release

Spill Release Procedures:IF CONTAINER STARTS TO LEAK, ALLOW IT TO DISCHARGE COMPLETELY IN WELL VENTILATED AREA, THEN DISPOSE IN SAFE PLACE.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA.PROTECT CONTAINER FROM PHYSICAL DAMAGE.DO NOT STORE ABOVE 120F(49C).

Other Precautions:KEEP AT ROOM TEMPERATURE AS EXPOSURE TO SUNLIGHT MAY CAUSE BURSTING. AEROSOL CONTAINER IS NOT REFILLABLE. DO NOT ATTEMPT TO RECHARGE. WHEN CONTAINER IS EMPTY, DISCARD IN SAFE PLACE.

amazon.com

Brady 53200 18" Height, 24" Width
Brady
New \$45.57
Best \$33.83

NOTICE
MATERIAL DATA SHEET AVAILABLE
RECALL
Notice Sign - Material Safety Data S...
SignMission
New \$8.99
Best \$8.99

MATERIAL SAFETY DATA SHEETS
Brady 2028 3" Diameter Ring, Red On...
Brady
New \$29.99
Best \$29.99

MATERIAL SAFETY DATA SHEETS
Brady 2025 3" Diameter Rings, Polyel...
Brady
New \$30.45
Best \$30.45

MATERIAL SAFETY DATA SHEETS
Brady 2023 1-1/2" Diameter Rings, Po...
Brady
New \$20.79
Best \$20.79

Privacy Information

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN IF TLV IS EXCEEDED.
Ventilation:FOR OUTDOOR USE ONLY.
Protective Gloves:NONE REQUIRED.
Eye Protection:GOGGLES.
Other Protective Equipment:NONE REQUIRED.
Work Hygienic Practices:STANDARD HYGIENIC PRACTICES. WASH AFTER HANDLING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
NONE.

Chemical Properties

HCC:V2
Vapor Pres:100 PSIG
Spec Gravity:0.8
Solubility in Water:NEGLIGIBLE
Appearance and Odor:PALE YELLOW COLOR WITH SOLVENT ODOR.
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION
Hazardous Decomposition Products:HALOGEN ACIDS AND CARBON DIOXIDE.

Disposal

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.DO NOT PUNCTURE OR INCINERATE CONTAINER.GIVE TO DISPOSAL SERVICE.DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL ENVIRONMENTAL REGULATIONS.FULL OR PARTIALLY FILLED CONTAINERS ARE CONSIDERED HAZARDOUS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.