



SAFETY DATA SHEET

Product: MARC 203 "911" AROMATIC – ABSORBENT

Form R04132

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: **MARC 203 "911" AROMATIC - ABSORBENT**

SDS DATE: 9/11/13

SUPPLIER: Mid-American Research Chemical Corp. ADDRESS: P. O. Box 927 Columbus, NE 68602-0927

PHONE: 402-564-7104 FAX: 402-563-1290

EMERGENCY PHONE: InfoTrac 1-800-535-5053

E-MAIL: marc@marc1.com WEBSITE: www.marc1.com

RECOMMENDED USE: Super absorbent for liquid spills. Transforms liquids into a semi-solid gel for easy disposal.

PREPARED BY: MARC

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: May cause respiratory tract, eye and skin irritation.

SIGNAL WORD AND PRECAUTIONARY STATEMENTS: **CAUTION:** Avoid prolonged or repeated inhalation of dust. If inhaled, get fresh air. Avoid eye contact..

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CAS NO.</u>
Sodium Acrylates Crosspolymer-2	N/A

SECTION 4: FIRST AID MEASURES

EYE: Check for and remove contact lenses, if applicable. In case of contact, immediately flush eyes with plenty of water for at least 15-20 minutes. Hold eyelids apart during flushing to ensure complete rinsing of entire surface of eye and lids with water. If symptoms persist, seek medical attention immediately. Continue flushing with water if physician is not immediately available.

SKIN: In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated shoes and clothing. Wash contaminated clothing before reusing. Thoroughly clean shoes before reuse. If symptoms develop, seek medical attention.

INGESTION: Do not ingest. If this material is swallowed, call a physician immediately. **DO NOT INDUCE VOMITING** unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, seek medical attention.

MEDICAL CONDITIONS AGGRAVATED: None known.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: In case of fire, use water spray (fog), foam, dry chemical, or CO2.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Nature of decomposition products is not known.



SAFETY DATA SHEET

Product: MARC 203 "911" AROMATIC – ABSORBENT

Form R04132

SECTION 6: ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES:

Small Spill & Leak: Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional regulatory requirements.

Large Spill & Leak: Use appropriate tools to put the spilled material into a labeled waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional regulatory requirements. Check with local authorities.

Spill Kit Information: No specific spill kit required for this product.

PROTECTIVE EQUIPMENT: Use personal protective devices as stated in Section 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Same as EMERGENCY PROCEDURES.

SECTION 7: HANDLING AND STORAGE

GENERAL HANDLING Avoid generating dust. Avoid breathing dust. Use only with adequate ventilation. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

OTHER PRECAUTIONS: **KEEP OUT OF REACH OF CHILDREN!! CAREFULLY READ ENTIRE LABEL BEFORE USE!**

STORAGE: Store in original container and keep dry. Keep containers sealed until ready for use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>INGREDIENT</u>	<u>CAS NO.</u>
Sodium Acrylates Crosspolymer-2	N/A

ENGINEERING CONTROLS: N/A

VENTILATION : Use only with adequate ventilation.

RESPIRATORY PROTECTION: Use NIOSH/MSHA approved air-purifying respirator as needed to control exposure.

EYE PROTECTION: Safety glasses with side shields or goggles.

SKIN PROTECTION/PROTECTIVE GLOVES: Gloves recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Lab coat.

WORK HYGIENIC PRACTICES: Wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE- PHYSICAL STATE:	Powder
COLOR:	White
ODOR:	Pine
ODOR THRESHOLD:	N/A
pH:	N/A
MELTING POINT:	N/A
FREEZING POINT:	N/A



SAFETY DATA SHEET

Product: MARC 203 "911" AROMATIC – ABSORBENT

Form R04132

BOILING POINT: N/A
FLASH POINT/METHOD USED: N/A
EVAPORATION RATE: N/A
FLAMMABILITY (solid, gas): N/A
FLAMMABILITY LIMITS: N/A
VAPOR PRESSURE (mmHg): N/A
VAPOR DENSITY (AIR = 1): N/A
SPECIFIC GRAVITY (H₂O = 1): N/A
SOLUBILITY IN WATER: Insoluble, gels
VISCOSITY: N/A

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: None

STABILITY: This product is stable.

CONDITIONS TO AVOID: N/A

INCOMPATIBILITY (MATERIAL TO AVOID): Strong acids and strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Nature of decomposition products is not known.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 11: TOXICOLOGICAL INFORMATION

EYES: May cause eye irritation. Symptoms include itching and redness after contact.

SKIN: May cause mild skin irritation. Symptoms include itching and redness after contact.

INGESTION: Into an intended route of exposure. Symptoms include gastrointestinal tract upset and diarrhea.

INHALATION: May cause respiratory tract irritation. Symptoms include coughing, wheezing or shortness of breath when inhaled.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Repeated or prolonged exposure to the substance at concentrations above the exposure limits may cause respiratory tract and lung sensitization.

CARCINOGENICITY: This material is not known to cause cancer in humans.

ACUTE TOXICITY: N/A

CHRONIC TOXICITY: N/A

TOXICITY TO ANIMALS: N/A

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of according to all federal, state and local regulations.



SAFETY DATA SHEET

Product: MARC 203 "911" AROMATIC – ABSORBENT

Form R04132

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)

CONTAINER SIZES(S): TUBES
PROPER SHIPPING NAME: Cleaning Compounds.
HAZARD CLASS: N/A
ID NUMBER: N/A
PACKING GROUP: N/A
LABEL STATEMENT: NONE

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): N/A
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): N/A
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): N/A
311/312 HAZARD CATEGORIES: N/A
313 REPORTABLE INGREDIENTS: N/A

SECTION 16: OTHER INFORMATION

HMIS/NFPA Ratings: Health = 0
Flammability = 0
Reactivity = 0
Other = -
Protection = E

REVISION DATE: 9/11/13

DISCLAIMER: While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.



SAFETY DATA SHEET
Product: **MARC 283 CARPET SPOTTING TOWELS**

Form R04132

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: **MARC 283 CARPET SPOTTING TOWELS**

SDS DATE: 2/26/14

SUPPLIER: Mid-American Research Chemical Corp. ADDRESS: P. O. Box 927 Columbus, NE 68602-0927

PHONE: 402-564-7104 FAX: 402-563-1280

EMERGENCY PHONE: InfoTrac 1-800-535-6063

E-MAIL: marc@marc1.com WEBSITE: www.marct1.com

RECOMMENDED USE: Carpet cleaning towel.

PREPARED BY: MARC

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Serious Eye Damage/Eye Irritation	Category 2
Flammable liquids	Category 4

SIGNAL WORD AND PRECAUTIONARY STATEMENTS: **WARNING:** Causes serious eye irritation. Combustible liquid.
POTENTIAL HEALTH EFFECTS: See Section 11 for more information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The exact percentage (concentration) of composition has been withheld as a trade secret.

INGREDIENT: Diethylene glycol monobutyl ether.
CAS NO.: 112-34-5
Isopropyl alcohol 87-83-0

SECTION 4: FIRST AID MEASURES

EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

SKIN: Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

INGESTION: Not an expected route of exposure. Large amounts: **DO NOT INDUCE VOMITING!** Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

INHALATION: Not an expected route of exposure. Move to fresh air. If symptoms arise, call a physician.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical. Foam. Carbon dioxide (CO2). Water spray or fog.

UNSUITABLE EXTINGUISHING MEDIA: **CAUTION:** Use of water spray when fighting fire may be inefficient.

SPECIAL FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool surrounding containers.



SAFETY DATA SHEET
Product: **MARC 283 CARPET SPOTTING TOWELS**

Form R04132

SECTION 6: ACCIDENTAL RELEASE MEASURES

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors may travel to source of ignition and flash back.

HAZARDOUS DECOMPOSITION PRODUCTS: Soot. Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons.

EMERGENCY PROCEDURE:

Small spillage: Wipe up with absorbent material (e.g. cloth, fleece). Large spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

PROTECTIVE EQUIPMENT: See Section 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Same as Emergency Procedures. Prevent leakage or spillage if safe to do so.

SECTION 7: HANDLING AND STORAGE

GENERAL HANDLING: Avoid contact with skin and eyes. Avoid breathing vapors or mists. Do not smoke. Handle in accordance with good industrial hygiene and safety practice.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

INCOMPATIBLE PRODUCTS: Strong alkalis. Strong oxidizing agents.

STORAGE: Keep container closed when not in use. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Do not contaminate food or feed stuffs.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure Guidelines

INGREDIENT: Isopropyl alcohol

ACGIH TLV STEL: 400 ppm
TWA: 200 ppm

OSHA PEL TWA: 100 ppm
(weighted) TWA: 800 mg/m³
(weighted) STEL: 500 ppm
(weighted) STEL: 1225 mg/m³

NIOSH IDLH (DLH): 2000 ppm
TWA: 880 mg/m³
(weighted) TWA: 400 ppm
(weighted) STEL: 500 ppm
(weighted) STEL: 1225 mg/m³

ENGINEERING CONTROLS:

VENTILATION: Ensure adequate ventilation.

RESPIRATORY PROTECTION: None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

EYE/FACE PROTECTION: None required under normal usage. If direct contact possible. Safety glasses with side-shields.

SKIN PROTECTION/PROTECTIVE GLOVES: No special protective equipment required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Showers, eyewash stations, ventilation systems.

WORK HYGIENE PRACTICES: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE-PHYSICAL STATE: Liquid

COLOR: Colorless

ODOR: Orange

ODOR THRESHOLD: No information available.



SAFETY DATA SHEET

Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

pH: 9.0 - 10.0
 No data available.
MELTING POINT: 100°C / 212°F
FLASH POINT: 73.69°C / 195°F
EVAPORATION RATE: No data available.
FLAMMABILITY (solid, gas): No data available.
FLAMMABILITY LIMITS IN AIR: No data available.
LOWER FLAMMABILITY LIMIT: No data available.
UPPER FLAMMABILITY LIMIT: No data available.
VAPOR PRESSURE (mmHg): >1
VAPOR DENSITY (AIR = 1): 1.008
SPECIFIC GRAVITY (W20 = 1): Completely soluble.
SOLUBILITY IN WATER: No data available.
PARTITION COEFFICIENT: No data available.
n-OCTANOL/WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available.
VISCOITY: No data available.
FLAMMABLE PROPERTIES: Not flammable.
EXPLOSIVE PROPERTIES: No data available.
OXIDIZING PROPERTIES: No data available.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: No data available.
STABILITY: Stable under recommended storage conditions.
CONDITIONS TO AVOID: Incompatible products.
INCOMPATIBILITY (MATERIAL TO AVOID): Strong alkalis. Strong oxidizing agents.
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide (CO). Carbon Dioxide (CO₂). Smoke Soot.
HAZARDOUS POLYMERIZATION: N/A
CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 11: TOXICOLOGICAL INFORMATION

EYES:	Causes serious eye irritation.
SKIN:	Repeated exposure may cause skin dryness or cracking.
INGESTION:	Not an expected route of exposure.
INHALATION:	Vapors may cause drowsiness and dizziness.
CHEMICAL NAME	D60 ORAL
Diethylene glycol monobutyl ether	-3384 mg/kg (Rat)
Isopropyl alcohol	-4398 mg/kg (Rat)
	12870 mg/kg (Rabbit)
	LD50 DERMAL
	-2700 mg/kg (Rabbit)
	12800 mg/kg (Rat)
	12870 mg/kg (Rabbit)
	LC50 INHALATION
	72.5 mg/L (Rat) 4h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms: No information available.
Delayed and immediate effects and also chronic effects from short and long term exposure
Sensitization: No information available.
Mutagenic Effects: No information available.
Carcinogenicity: No information available.



SAFETY DATA SHEET

Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

CHEMICAL NAME	isopropyl alcohol	ACGIH	IARC	NTP	OSHA
			Group 3		

IARC: (International Agency for Research on Cancer)
 Group 3: Not Classifiable as to its Carcinogenicity to Humans
OSHA: (Occupational Safety & Health Administration)
 X - Present

Reproductive Toxicity
 STOT - single exposure: No information available.
 STOT - repeated exposure: No information available.
 Aspiration Hazard: No information available.

Numerical measures of toxicity - Product
 The following values are calculated based on chapter 3.1 of the GHS document:
 LD50 Oral: 1924 mg/kg; Acute toxicity estimate
 LD50 Dermal: 18000 mg/kg; Acute toxicity estimate
 Inhalation: 2989.1 mg/L; Acute toxicity estimate

ACUTE HEALTH HAZARDS: N/A
CHRONIC HEALTH HAZARDS: N/A
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A
TOXICITY TO ANIMALS: N/A

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity
 The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Diethylene glycol monobutyl ether 112-34-5	EC50 96 h: > 100 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 1300 mg/L static (Lepomis macrochirus)		EC50 24 h: = 2850 mg/L (Daphnia magna) EC50 48 h: > 100 mg/L (Daphnia magna)
Isopropyl alcohol 67-43-3	EC50 96 h: > 1000 mg/L (Desmodesmus subspicatus) EC50 72 h: > 1000 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 11130 mg/L static (Pimephales promelas) LC50 96 h: = 8640 mg/L flow-through (Pimephales promelas) LC50 94 h: > 14000000 µg/L (Lepomis macrochirus)		EC50 48 h: = 13289 mg/L (Daphnia magna)

Persistence and Degradability: No information available.
Bioaccumulation: No information available.

CHEMICAL NAME	isopropyl alcohol	LOW POW	0.05
----------------------	-------------------	----------------	------

Other adverse effects
 No information available.



SAFETY DATA SHEET

Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

MELTING POINT: 9.0 - 10.0
 No data available.
BOILING POINT: 100°C / 212°F
FLASH POINT: 73.99°C / 195°F
EVAPORATION RATE: No data available.
FLAMMABILITY (solid, gas): No data available.
FLAMMABILITY LIMITS IN AIR: No data available.
LOWER FLAMMABILITY LIMIT: No data available.
UPPER FLAMMABILITY LIMIT: No data available.
WATER SOLUBILITY: >1
VAPOR PRESSURE (mmHg): Completely soluble.
VAPOR DENSITY (AIR = 1): 1.008
SOLUBILITY IN WATER: No data available.
PARTITION COEFFICIENT, n-OCTANOL/WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available.
VISCOSITY: No data available.
FLAMMABLE PROPERTIES: Not flammable.
EXPLOSIVE PROPERTIES: No data available.
OXIDIZING PROPERTIES: No data available.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: No data available.
STABILITY: Stable under recommended storage conditions.
CONDITIONS TO AVOID: Incompatible products.
INCOMPATIBILITY (MATERIAL TO AVOID): Strong alkalis, Strong oxidizing agents.
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide (CO), Carbon Dioxide (CO₂), Smoke Soot.
HAZARDOUS POLYMERIZATION: N/A
CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 11: TOXICOLOGICAL INFORMATION

EYES:	Causes serious eye irritation.		
SKIN:	Repeated exposure may cause skin dryness or cracking.		
INGESTION:	Not an expected route of exposure.		
INHALATION:	Vapors may cause drowsiness and dizziness.		
CHEMICAL NAME	DERM ORAL	LD50 DERMAL	LD50 INHALATION
Diethylene glycol monobutyl ether	=3384 mg/kg (Rat)	=2700 mg/kg (rabbit)	
Isopropyl alcohol	=4398 mg/kg (Rat)	12600 mg/kg (Rat)	72.8 mg/L (Rat) 4h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms: No information available.
Delayed and Immediate effects and also chronic effects from short and long term exposure
Sensitization: No information available.
Mutagenic Effects: No information available.
Carcinogenicity: No information available.



SAFETY DATA SHEET

Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

CHEMICAL NAME Isopropyl alcohol	ACGIH	IARC Group 3	NTP	OSHA
---	--------------	------------------------	------------	-------------

IARC: (International Agency for Research on Cancer)
 Group 3: Not Classifiable as to its Carcinogenicity to Humans
OSHA: (Occupational Safety & Health Administration)
 X - Present

Reproductive Toxicity
 STOT - single exposure: No information available.
 STOT - repeated exposure: No information available.
Application Hazard
 No information available.

Numerical measures of toxicity - Product
 The following values are calculated based on chapter 3.1 of the GHS document:
 LD50 Oral: 19824 mg/kg; Acute toxicity estimate
 LD50 Dermal: 180000 mg/kg; Acute toxicity estimate
 Inhalation: 2899.1 mg/L; Acute toxicity estimate
 Dust/mist:

ACUTE HEALTH HAZARDS: N/A
CHRONIC HEALTH HAZARDS: N/A
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A
TOXICITY TO ANIMALS: N/A

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity
 The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Diethylene glycol monobutyl ether 112-34-6	EC50 98 h: > 100 mg/L (Desmodesmus subspicatus)	LC50 98 h: = 1300 mg/L static (Leopomis macrochirus)		EC50 24 h: = 2850 mg/L (Daphnia magna) EC50 48 h: > 100 mg/L (Daphnia magna)
Isopropyl alcohol 67-43-9	EC50 98 h: > 1000 mg/L (Desmodesmus subspicatus) EC50 72 h: > 1000 mg/L (Desmodesmus subspicatus)	LC50 98 h: = 11130 mg/L static (Pimephales promelas) LC50 98 h: = 9840 mg/L flow-through (Pimephales promelas) LC50 98 h: > 1400000 µg/L (Leopomis macrochirus)		EC50 48 h: = 13289 mg/L (Daphnia magna)

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

CHEMICAL NAME Isopropyl alcohol	LOW POW 0.05
---	------------------------

Other adverse effects
 No information available.



SAFETY DATA SHEET
Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state, and local regulations.

CONTAMINATED PACKAGING: Do not re-use empty containers.

CHEMICAL NAME Isopropyl alcohol	CALIFORNIA HAZARDOUS WASTE Toxic Irritable
------------------------------------	--

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)

DOT Not regulated.

CONTAINER SIZE(S): SPECIAL
PROPER SHIPPING NAME: TOWELS OR CLEANSING CLOTHS.
HAZARD CLASS: NONE
ID NUMBER: NONE
PACKING GROUP: NONE
LABEL STATEMENT: NONE

SECTION 15: REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

LEGEND
TSCA - United States Toxic Substances Control Act Section 8(p) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): N/A

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986): This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CHEMICAL NAME	CAS-NO	WEIGHT %	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether	112-34-5	15	1.0
Isopropyl alcohol	67-63-0	2	1.0

SARA 311/312 HAZARD CATEGORIES:

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 4 CFR 122.42).



SAFETY DATA SHEET
Product: MARC 283 CARPET SPOTTING TOWELS

Form R04132

U.S. STATE REGULATIONS

California Proposition 65
This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

X designates that the ingredients are listed on the state right to know list.

CHEMICAL NAME either Diethylene glycol monobutyl isopropyl alcohol	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
	X	X	X	X	
	X	X	X		X

U.S. EPA Label Information
EPA Pesticide Registration Number Not applicable.

SECTION 16: OTHER INFORMATION

HMIS/NFPA Ratings: Health = 2
Flammability = 2
Reactivity = 0
Other = -
Protection = B

REVISION DATE: 2/26/14

N/A = Not Applicable, ND = Not Determined, NE = Not Established

DISCLAIMER: While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.