

105113

MATERIAL SAFETY DATA SHEET



Page: 1
DATE PREPARED: 18/02/2010
MSDS No: TCL

Track & Cable Lube - Part No's: 16-TCL, 8-TCL, 8-TCL-S

HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Track & Cable Lube - Part No's: 16-TCL, 8-TCL, 8-TCL-S
Product Description: Track & Cable Lube
Product Formulation Name: Track & Cable Lube

DISTRIBUTOR:
The Blaster Group Pty Ltd
Unit 30, 8 Victoria Avenue
Castle Hill NSW 2174
Emergency Phone: 02 9894 7360
Customer Service: 02 9894 7360

24 HR EMERGENCY TELEPHONE NUMBERS:
POISONS INFORMATION CENTRE
PHONE: **13 11 26**

2. COMPOSITION/INFORMATION ON INGREDIENTS

	<u>wt. %</u>	<u>CAS Registry #</u>
Polydimethylsiloxane	<15	
Alkylated Naptha, Heavy	<90	63148-62-9
Zinc Alkyldithiophosphate Mixture	<5	64741-65-7
Carbon Dioxide	<2	68649-42-3 124-38-9

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

	EXPOSURE LIMITS	
	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polydimethylsiloxane		Not established
Alkylation Naptha, Heavy,	100 ppm	100 ppm
Zinc Alkyldithiophosphate Mixture		Not Detem1ined
Carbon Dioxide	5000 ppm	5000 ppm

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES:

Direct contact with eyes may cause irritation, redness, tearing.



Track & Cable Lube – Part No's: 16- TCL, 8- TCL, 8- TCL-S

SKIN:

Prolonged or repeated contact with skin may cause mild skin irritation, oil acne, folliculitis, and possible dermatitis in sensitive individuals.

INGESTION:

Will cause nausea, vomiting and diarrhoea

INHALATION:

Mist may irritate mucous membranes, which may be pronounced at elevated temperatures.

PHYSICAL HAZARDS:

Aerosol containers are pressurized (even when empty!) Do not expose to temperatures above 50°C. Do not puncture or bum can. Failure to observe these precautions may result in a rapid and violent decompression of the container producing projectiles and atomization of the liquid contents.

4. FIRST AID MEASURES

EYES:

Flush with plenty of clear water. Seek medical attention.

SKIN:

Remove contaminated clothing immediately. Wash skin with soap and water. If irritation develops, seek medical attention

INGESTION:

If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

INHALATION:

Remove to fresh air. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flashpoint and Method: -103°C TAG CC

Autoignition Temperature: Not Available

GENERAL HAZARD:

This material can be ignited by heat, sparks, flames, or other sources of ignition (static electricity.) Vapours are heavier than air and will collect in low areas (sewers) or travel considerable distances to a source of ignition. If containers are not cooled in a fire, they may ignite and explode.

EXTINGUISHING MEDIA:

Dry chemical, carbon dioxide, halon, or foam is recommended. Water spray may be used to cool containers or structures. Halon may decompose into toxic materials and carbon dioxide will displace oxygen. Take proper precautions when using these materials.



Page: 3

DATE PREPARED: 18/02/2010

MSDS No: TCL

Track & Cable Lube - part #'s: 16- TCL, 8- TCL, 8- TCL-S

FIRE FIGHTING PROCEDURES:

Emergency responders in the danger area should wear bunker gear and self-contained breathing apparatus for fires beyond the incipient stage. Wear other protective gear as conditions warrant. Stop leaks, if it can be done with minimal risk. Water spray may be useful in dispersing vapours or cooling equipment and containers. Material will float on water. Avoid spreading fire with water.

FIRE FIGHTING EQUIPMENT:

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL:

Absorb the liquid and scrub the area with detergent and water.

LARGE SPILL:

Avoid vapours and ignition sources. Use appropriate protective equipment. Stop and contain the discharge if it can be done safely. Keep out of drains and waterways. Handle only with trained personnel. Notify authority.

GENERAL PROCEDURES:

Dispose of liquid and absorbents in accordance with local, state, and federal law.

7. HANDLING AND STORAGE

GENERAL PROCEDURES:

Use in accordance with good industrial workplace practices. Open containers slowly to relieve pressure

HANDLING:

Avoid unnecessary contact. Wash thoroughly after handling. Do not wear contaminated clothing or shoes.

STORAGE:

Store in a dry place away from excessive heat. Store containers tightly closed.



Page: 4

DATE PREPARED: 18/02/2010

MSDS No: TCL

Track & Cable Lube - Part no's: 16- TCL, 8- TCL, 8- TCL-S

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTION

EYES AND FACE:

Standard safety glasses with splash shields are adequate protection. Where excessive splashing is possible, a face shield should be used.

SKIN:

Excessive contact should be avoided. Neoprene gloves and aprons will provide adequate protection when contact cannot be avoided.

RESPIRATORY:

Good general ventilation should be sufficient to control airborne levels. Maintain airborne concentrations below the established exposure limits of ingredients in Section 2.

PROTECTIVE CLOTHING:

Chemical resistant aprons and boots are suggested when contact with material cannot be avoided. Remove and wash any contaminated clothing immediately.

WORK HYGIENIC PRACTICES:

Wash thoroughly after handling.

OTHER USE PRECAUTIONS:

Eye wash stations and emergency showers should be available.

COMMENTS:

The BLASTER CHEMICAL COMPANIES takes no responsibility for determining what measures are required for personal protection in any specific application. The information provided should be used with discretion.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Odour: Slight

Appearance: Transparent

Colour: Clear

Boiling Point: >260°C

Solubility in Water: Insoluble

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID:

Avoid high temperatures.

STABILITY:

Stable.

POLYMERIZATION:

Will not occur.



Page: 5

DATE PREPARED: 18/02/2010

MSDS No: TCL

Track & Cable Lube - Part No's: 16- TCL, 8- TCL, 8- TCL-S

11. TOXICOLOGICAL INFORMATION

COMMENTS:

Toxicological information on this product as a mixture has yet to be determined. See section 15 for reportable ingredients.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA:

No data available.

ECOTOXICOLOGICAL INFORMATION:

No data available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

Used or unused product should be disposed of in accordance with local, state, and federal regulations.

EMPTY CONTAINER:

Empty containers will contain residual product and should be handled in the same manner as the product. Containers should be returned to a reputable container recycler.

14. TRANSPORT INFORMATION

Proper Shipping Name: Aerosols, Non Flammable

Hazard Class: 2.2

UN Number: 1950

PG III

Hazchem 2Y

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

313 Reportable Ingredients: This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of CFR 372:

68649-42-3 Zinc Alkydithiophosphate Mixture 3.0% by weight

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA RQ: This product has no CERCLA Reportable Quantity. However, release into a waterway may require reporting to the National Response Centre.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA Regulatory: This product complies with all TSCA Inventory requirements.
